CONTENTS — VOLUME 14

Number 1

Review

Acute monoblastic leukemia: a unique subtype—a review from the Childrens Cancer Study Group	1	*L. F. Odom, B. C. Lampkin, R. Tannous, J. D. Buckley and G. D. Hammond*
Expression of the multidrug resistance gene in myeloid leukemias	11	*H. Sato, M. M. Gottesman, L. J. Goldstein, I. Pastan, A. M. Block, A. A. Sandberg and H. D. Preisler*
$CD7^+$ acute non-lymphocytic leukemia: evidence for an early multipotential progenitor	23	*M. M. Zutter, P. J. Martin, D. Hanke and P. G. Kidd*
M-CSF and M-CSF-receptor gene expression in acute myelomonocytic leukemias	27	*M. R. Parwaresch, H. Kreipe, J. Felgner, K. Heidorn, K. Jaquet, S. Bödewadt-Radzun and H. J. Radzun*
Thymidine kinase in human leukemia—expression of three isoenzyme variants in six patients with chronic myelocytic leukemia	39	*B. Munch-Petersen*
Expression of CD23 antigen and its regulation by IL-4 in chronic lymphocytic leukemia	47	*M. Sarfati, S. Fournier, M. Christoffersen and G. Biron*
Hyperprolactinemia in acute myeloid leukemia and indication of ectopic expression of human prolactin in blast cells of a patient of subtype M4	57	*S. J. Hatfill, R. Kirby, M. Hanley, E. Rybicki and L. Böhm*
Stimulation of myeloid colony development elaborated by colony forming cells—fibroblasts from rat developing ossicles	63	*I. Bleiberg*
Immunoreactivity of anti K562 monoclonal antibodies with leukemic cells of myeloid lineage	69	*S. V. Chiplunkar, H. S. Maniar, R. J. Tatake, K. M. Amin, S. H. Advani and S. G. Gangal*
Lack of correlation between immunoglobulin and T cell receptor gene rearrangements and TdT expression in acute myeloid leukaemia	77	*G. Davey, K. F. Bradstock, R. F. Kefford, Y. Wishart, A. Kabral, P. Grimsley and W. G. Hughes*
Bone marrow cultures and prognosis in primary myelodysplastic syndromes	85	*M. Korthout, R. De Bock, D. van Bockstaele and M. Peetermans*
DNA strand breaks in human leukocytes induced by chemotherapy and total body irradiation	91	*C. Franssen, P. Boekema, T. De Witte, J. Wessels, A. Van der Kogel and C. Haanen*
De novo Ph negative T-cell lymphoblastic leukaemia associated with bcr gene rearrangement	99	*P. G. Middleton, E. V. Davison, M. M. Reid and S. J. Proctor*
	105	Announcement
	107	Erratum

Number 2

Triple combination of retinoic acid + 6-thioguanine + hexamethylene bisacetamide induces differentiation of human AML blasts in primary culture	109	*Hassan Tawhid and J. Rees*
Distribution of VIM-2 and SSEA-1 glycoconjugate epitopes among human leukocytes and leukemia cells	119	*B. A. Macher and J. H. Beckstead*
Rearrangement of the T-cell receptor alpha, beta and gamma chain genes in chronic lymphocytic leukemia	131	*A. Perl, J. P. Di Vincenzo, D. H. Ryan, P. Gergely, A. Szigeti, J. Feher and G. N. Abraham*
Presence of an activity indispensable for the granulocyte/macrophage colony-stimulating activity of interleukin 3 in bovine serum albumin	139	*K. Sugimoto, J. Fujita, M. Miyashita, K. Aramaki, T. Tamaki and K. J. Mori*
Clinical characteristics of hybrid leukemia: report of five cases	145	*K. Akashi, M. Harada, T. Shibuya, E. Morioka, T. Okamura, Y. Asano, S. Taniguchi, T. Teshima, M. Kikuchi and Y. Niho*
T cells and CD45R expression in B-chronic lymphocytic leukemia	155	*P. G. Briggs, N. Kraft and R. C. Atkins*

Treatment of myelodysplastic syndrome and atypical leukemia with low-dose aclarubicin — 161 *T. Shibuya, T. Teshima, M. Harada, S. Taniguchi, T. Okamura, S.-I. Okamura and Y. Niho*

Philadelphia chromosome-negative acute hematopoietic malignancy: ultrastructural, cytochemical and immunocytochemical evidence of mast cell and basophil differentiation — 169 *J. Mezger, W. Permanetter, H. Gerhartz, R. Bartl, M. Bauchinger, H. Schmetzer and H. Sauer*

Establishment from an adult leukemic patient of two novel precursor B cell lines with different growth modality — 177 *C. Tarella, P. Pregno, E. Gallo, D. Caracciolo, S. Stefani, C. Barletta, L. Lanfrancone and D. Ferrero*

Cytosine arabinoside does not cause differentiation *in vitro* of CFU-GM in marrow from normal, myelodysplastic or ANLL subjects — 185 *M. A. Smith, P. C. Taylor and J. G. Smith*

Genetic heterogeneity in blast crisis of chronic myelocytic leukemia — 195 *T. Ikeda, K. Kita, H. Miwa, K. Kawakami, H. Anazawa, T. Ohno, T. Nosaka, M. Hatanaka, T. Honjo and S. Shirakawa*

Book Review
A Guide to Bone Marrow Transplantation by H.-J. Deeg, H. G. Klingemann and G. L. Phillips — 203 *L. Stenke*

205 Announcements

Number 3

Editorial
Do different therapies of AML produce different outcomes? — 207 *R. P. Gale and M. L. Lee*

Preferential uptake of benzoporphyrin derivative by leukemic versus normal cells — 209 *C. H. M. Jamieson, W. N. McDonald and J. G. Levy*

Dexamethasone decreases membrane fluidity of leukemia cells — 221 *C. Kiss, M. Balázs and I. Kéri-Fülöp*

In vitro growth response to G-CSF and GM-CSF by bone marrow cells of patients with acute myeloid leukemia — 227 *I. Jinnai*

Analysis of *bcr* rearrangements in primary (essential) thrombocythaemia — 241 *H. Tesch, R. Zankovich, C. Fonatsch and V. Diehl*

Clonal growth of haemopoietic progenitor cells from myelodysplastic marrow in response to recombinant haemopoietins — 247 *P. Baines, D. Bowen and A. Jacobs*

Prognostic factors of myelodysplastic syndromes—a simplified 3-D scoring system — 255 *J.-E. Goasguen, R. Garand, M. Bizet, J.-L. Bremond, J. Gardais, M. P. Callat, F. Accard and J. Chaperon*

Human B lymphocytes express the p75 component of the interleukin 2 receptor — 263 *C. G. Begley, J. D. Burton, M. Tsudo, B. H. Brownstein, J. L. Ambrus, Jr and T. A. Waldmann*

Polyadenylic acid polymerase activity in chronic myelogenous leukemia — 273 *R. Sasaki, J. Minowada, F. J. Bollum and Y. Miura*

Pure red cell aplasia associated with B cell lymphoma: demonstration of bone marrow colony inhibition by serum immunoglobulin — 279 *R. Alter, S. S. Joshi, J. D. Verdirame and D. D. Weisenburger*

Proliferation and differentiation of erythroleukemia cell line (ELM-I-1) in response to erythropoietin and interleukin 3 — 287 *M. Shiozaki, K. Itoh and K. J. Mori*

Letter to the Editors
Changes in leukemia cell membrane fluidity induced by growth-restrictive and permissive culture conditions — 293 *C. Kiss and M. Balázs*

Number 4

Editorial

Ph-chromosome positive acute leukemias and acute phase CML: one or two diseases? Two — 295 *R. P. Gale and A. Butturini*

Changing patterns of radiosensitivity of hematopoietic progenitors from chronically irradiated dogs prone either to aplastic anemia or to myeloproliferative disease — 299 *T. M. Seed and L. V. Kaspar*

Characterization of two newly established EBV-containing lymphoblastoid cell lines from patients with myeloid leukemias — 309 *Yu-Sun Chang, Lee-Yung Shih, Chen-Lee Peng, Shih-Hsiung Chen and Shih-Tung Liu*

Acute myelofibrosis: response to recombinant human interferon alpha-2a — 321 *A F. List, T. D. Kummet and D. M. Kerr*

Prognostic significance of glucocorticoid receptor determination in patients with chronic lymphocytic leukemia and immunocytoma—lack of a positive correlation between receptor levels and clinical responsiveness — 327 *C. Weiss, A. D. Ho, E. Hiller, E. Thiel, R. Schlag, T. Lipp, R. Herrmann, E. Musch, B. Termander and W. Hunstein*

α-L-Fucosidase isoenzyme pattern in hairy cell leukaemia — 333 *L. Roger, T. Alliot, M. Arock, M.-A. Bernard, F. Percheron and M.-J. Foglietti*

Phenotypic and genotypic analysis of large-cell lymphomas, formerly classified as true histiocytic lymphoma: identification of an unusual group of tumors — 337 *P. van der Valk, J. W. van Oostveen, H. V. Stel, T. H. van der Kwast, C. J. M. Melief and C. J. L. M. Meijer*

Changing response of clonogenic myeloid leukemia blasts to granulocyte–macrophage colony-stimulating factor (GM-CSF) during anti-leukemic therapy—a case report on the basis of a clinical phase II trial — 347 *W. Hiddemann, M. Zühlsdorf, B. Wörmann, M. Koenigsmann and T. Büchner*

Phorbol myristate acetate induces both high affinity and low affinity interleukin 2-receptors on a pre-B leukemic cell line — 353 *M. Allouche, V. Georgoulias, Y. Augery-Bourget, Y. Sahraoui, A. Tsapis, M. Perraki, C. Clemenceau, V. Choulakis and C. Jasmin*

Deoxycytidine kinase, thymidine kinase and cytidine deaminase and the formation of ARA-CTP in leukemic cells in different phases of the cell cycle — 363 *D. J. Richel, L. P. Colly, M. W. Arentsen-Honders, C. W. J. Starrenburg and R. Willemze*

Cell type dependent activation of poly (ADP-ribose) synthesis following treatment with etoposide — 371 *M. Kubota, A. Tanizawa, H. Hashimoto, T. Shimizu, T. Takimoto, T. Kitoh, Y. Akiyama and H. Mikawa*

Susceptibility of acute myeloid leukemia (AML) cells from clinically resistant and sensitive patients to daunomycin (DNR): assessment *in vitro* after stimulation with colony stimulating factors (CSFs) — 377 *V. Santini, K. Nooter, R. Delwel and B. Löwenberg*

Establishment of a karyotypically normal B-chronic lymphocytic leukemia cell line; evidence of leukemic origin by immunoglobulin gene rearrangement — 381 *D. Saltman, N. S. Bansal, F. M. Ross, J. A. Ross, G. Turner and K. Guy*

Concise Report

Effects of a phorbol ester on activation and immortalization of leukaemic B cells by Epstein–Barr virus — 389 *E. V. Walls and D. H. Crawford*

393 Announcement

Number 5

Review

The potential use of thalidomide in the therapy of graft-versus-host-disease—a review of clinical and laboratory information — 395 *P. M. D. Wood and S. J. Proctor*

Effects of calcium antagonists on anti-cancer drug toxicity to haematopoietic progenitor cells in normal human bone marrow — 401 *T. Nakarai and S. Koizumi*

Comparative activities of rabbit complements of different ages using an in-vitro marrow purging model — 407 *D. C. Roy, M. Felix, W. G. Cannady, S. Cannistra and J. Ritz*

Expression of p53 protein during the cell cycle measured by flow cytometry in human leukemia — 417 *M. Danova, M. Giordano, G. Mazzini and A. Riccardi*

$p75^{c\text{-}myb}$ expression in leukemia–lymphoma cells correlated with proliferation and differentiation — 423 *H. Ohnishi, H. Kamano, T. Tanaka, A. Okabe and S. Irino*

The in-vitro response of CD2-positive acute myelogenous leukemia to proliferation and differentiation inducing agents — 433 *S. T. Traweek, J. Ben-Ezra, R. M. Braziel and C. D. Winberg*

Immunoreactive lactoferrin in resting, activated, and neoplastic lymphocytes — 441 *T. W. Butler, C. E. Grossi, A. Canessa, V. Pistoia and J. C. Barton*

Fibronectin concentration in cerebrospinal fluid reflects early central nervous system involvement in children with acute lymphoblastic leukemia — 449 *M. Koskiniemi, J. Rajantie, J. Rautonen, M.-L. Laipio, E.-M. Salonen, M. A. Siimes and A. Vaheri*

Survival and characteristics of murine leukaemic and normal stem cells after hyperthermia: a murine model for human bone marrow purging — 453 *J. Gidáli, S. Szamosvölgyi, I. Fehér and P. Kovács*

Chemosensitivity testing of fresh human leukemia cells using both a dye exclusion assay and a tetrazolium dye (MTT) assay — 459 *D. L. Kirkpatrick, M. Duke and T. Suan Goh*

Inhibition of TPA-induced monocytic differentiation in THP-1 human monocytic leukemic cells by staurosporine, a potent protein kinase C inhibitor — 467 *N. Barendsen, M. Mueller and B. Chen*

Saturation of intracellular cytosine arabinoside triphosphate accumulation in human leukemic blast cells — 475 *G. P. Jamieson, M. B. Snook and J. S. Wiley*

Synergistic interactions allow colony formation *in vitro* by murine haemopoietic stem cells — 481 *S. A. Lorimore, I. B. Pragnell, L. Eckmann and E. G. Wright*

Book Review

Lymphocytes in Immunotherapy of Cancer edited by P. Klodowsky, U. Klodowsky, L. Beck and K. H. Vosteen — 491 *A. K. Palucka*

493 Announcements

Number 6

Open Forum

Models of haemopoiesis — 495 *G. Brown, C. M. Bunce and J. M. Lord*

Review

Induced differentiation of K562 leukemia cells: a model for studies of gene expression in early megakaryoblasts — 501 *R. Alitalo*

A subset of acute nonlymphocytic leukemia with expression of surface antigen CD7—morphologic, cytochemical, immunocytochemical and T cell receptor gene analysis on 13 patients — 515 *Hwei-Fang Tien, Chiu-Hwa Wang, Ih-Jen Su, Fang-Show Liu, Hui-Su Wu, Yao-Chang Chen, Kai-Hsin Lin, Sheng-Chung Lee and Ming-Ching Shen*

The effects of α interferon on human long-term bone marrow culture — 525 *D. W. Galvani and J. C. Cawley*

Effects of various cytokines on proliferation of acute lymphoblastic leukemia cells — 533 *M. Masuda, S. Hoshino, T. Motoji, K. Oshimi and H. Mizoguchi*

Isochromosome 11q in a case of acute myelomonocytic leukemia FAB type M_4 — 545 *Yong-quan Xue, Yu Go, Da-ru Lu and Bao-jue Lin*

A coordinated proto-oncogene expression characterizes MCF 247 murine leukemia virus-induced T-cell lymphomas irrespectively of proviral insertion affecting *myc* loci — 549 *M. Boiocchi, R. Dolcetti, R. Maestro, G. Feriotto, S. Rizzo, V. De Re and F. Sonego*

Usefulness of neutral red uptake method for investigation of the effects of recombinant hemopoietic growth factors on leukemic blasts proliferation — 559 *M. Misago, S. Chiba, M. Kikuchi, J. Tsukada, T. Sato, S. Oda and S. Eto*

Mechanisms involved in the development of adriamycin resistance in human leukemic cells — 567 *S. Kato, H. Ideguchi, K. Muta, J. Nishimura and H. Nawata*

Identification of interleukin 6 as a synergistic factor for the differentiation-inducing effect of TNF on leukemic ML-1 cells — 575 *B. Samal, G. Stearns, C. Crandall, T. Arakawa and T. Boone*

Functional analysis of clonally expanded CD8, TCR$\gamma\delta$ T cells in a patient with chronic T-gamma lymphoproliferative disease — 581 *K. Morikawa, F. Oseko, J. Hara, S. Kobayashi, A. Nakano and S. Morikawa*

593 Announcement

Number 7

Reduction of leukemia cell growth in a patient with acute promyelocytic leukemia treated by retinol palmitate — 595 *H. Tsutani, H. Iwasaki, Y. Kawai, T. Tanaka, T. Ueda, M. Uchida and T. Nakamura*

Phenotypic analysis of T-cell acute lymphoblastic leukemia in Egypt — 601 *A. M. Kamel, F. M. Ghaleb, M. M. Assem, D. S. Hindawy, E. S. Jaffe and I. T. Magrath*

Differentiation induction of HL60 cells in a long term bone marrow culture of acute myeloid leukemia — 611 *G. J. Ossenkoppele, I. Denkers, P. Wijermans, P. C. Huijgens, J. J. P. Nauta, R. J. H. Beelen and M. M. A. C. Langenhuijsen*

B-cell lymphoma of the mucosa-associated lymphatic tissue (MALT) presenting with bone marrow and peripheral blood involvement — 617 *H. Griesser, U. Kaiser, W. Augener, M. Tiemann and K. Lennert*

Transfection of a T-cell line with neo increases dexamethasone cytotoxicity — 623 *F. de Cuevillas and H. Lachman*

Recombinant interferon-alpha-2C in chronic myelogenous leukaemia: relationship of sensitivity of committed haematopoietic precursor cells *in vitro* (BFU-E, CFU-GM, CFU-Meg) and clinical response — 629 *D. Geissler, G. Gastl, W. Aulitzky, H. Tilg, S. Gaggl, G. Konwalinka and C. Huber*

A monoclonal antibody that inhibits the action of GM-CSF on normal but not leukaemic progenitors — 637 *L. K. Ashman, A. C. Cambareri and J. M. Eglinton*

Expression of retinoic acid receptor mRNA in hematopoietic cells — 645 *M. Kizaki, H. P. Koeffler, Chi-Whei Lin and C. W. Miller*

γIFN receptor expression in haemic malignancies — 657 *R. B. Watson, D. W. Galvani, J. R. Nash and J. C. Cawley*

Collagenase-like activity associated to the leukemic WEHI-3B cell line — 661 *M. Fernández, J. Martínez and J. J. Minguell*

Immunophenotypic and age patterns of childhood acute lymphoblastic leukemia in Saudi Arabia — 667 *G. T. Roberts, R. J. A. Aur and K. V. Sheth*

Number 8

Special Issue: Growth and Differentiating Factors in Hematology

Introduction — 673 *P. Reizenstein*

Pathophysiology of cytokines — 675 *W. H. Fridman and J. Michon*

Growth of normal and malignant bone marrow cells — 679 *P. Reizenstein*

Erythropoietin — 683 *A. J. Erslev*

Autocrine growth of leukemic cells — 689 *C. Jasmin, V. Georgoulias, F. Smadja-Joffe, C. Boucheix, C. Le Bousse-Kerdiles, M. Allouche, C. Cibert and B. Azzarone*

The role of growth-factor receptors (excluding IL-2 receptors) in the proliferation and differentiation of normal and leukemic hematopoietic cells — 695 *C. Jasmin, M. Allouche, C. Le Bousse-Kerdiles, F. Smadja-Joffe, P. Krief, V. Georgoulias and C. Boucheix*

Interleukin 2 receptors — 699 *M. Allouche, Y. Sahraoui, Y. Augery-Bourget, M. Perrakis, C. Jasmin and V. Georgoulias*

Growth and differentiation factors for B and T cells 705 *M. Hansson*

Cytokine and non-cytokine differentiating agents for myeloid leukemic cells 711 *I. Olsson, U. Gullberg and M. Lantz*

Tumor associated myelopoiesis inhibiting factors 715 *I. Olsson and T. Olofsson*

Differentiating agents in the treatment of leukemia 717 *L. Degos*

The role of haemopoietic growth factors in bone marrow transplantation 721 *A. H. Goldstone and A. Khwaja*

Differentiating agents in the treatment of leukemia and myelodysplastic syndromes 731 *L. Degos*

Number 9

Overexpression of the MPO gene occurring in a case of APL without unusual genotypic characteristics 735 *S. Ferrari, E. Tagliafico, P. Temperani, R. Manfredini, G. Ceccherelli, P. Zucchini, A. Tabilio, A. Donelli, G. Torelli, G. Emilia and U. Torelli*

GM-CSF incubation prior to treatment with cytarabine or doxorubicin enhances drug activity against AML cells *in vitro*: a model for leukemia chemotherapy 743 *A. Butturini, M. A. Santucci, R. P. Gale, P. Perocco and S. Tura*

Induction of cytidine deaminase in HL-60 myeloid leukemic cells by 5-aza-2′-deoxycytidine 751 *R. L. Momparler and J. Laliberté*

Comparison of antineoplastic activity of cytosine arabinoside and 5-aza-2′-deoxycytidine against human leukemic cells of different phenotype 755 *R. L. Momparler, N. Onetto-Pothier and L. F. Momparler*

Biochemical characterisation studies on a leukocyte alloantigen expressed with high frequency in leukaemia patients 761 *R. M. Weedle and T. G. Cotter*

A study of multidrug resistance and cell kinetics in a child with near-haploid acute lymphoblastic leukemia 771 *A. Redner, S. Hegewisch, J. Haimi, P. Steinherz, S. Jhanwar and M. Andreeff*

Response to intermediate and standard doses of IFN-β in hairy-cell leukaemia 779 *A. M. Liberati, M. Fizzotti, F. Di Clemente, M. Senatore, P. Berruto, B. Falini, M. F. Martelli and F. Grignani*

Difference in effects of interferon-α and interferon-γ on the induction of differentiation of retinoic acid-treated acute myeloid leukemia cells in primary culture 785 *T. Nakamaki, A. Sakashita, K.-I. Hino, K. Suzuki, S. Tomoyasu, N. Tsuruoka, Y. Honma and M. Hozumi*

The monitoring of acute leukemia patients: Part 1. Basic morphometric characteristics of bone marrow blast cells in acute lymphoblastic leukemia 795 *V. M. Pogorelov, E. N. Timkina, G. Mattes, R. Ile, G. Yu. Miterev, M. S. Novikova, V. G. Isaev and G. I. Kozinetz*

Lineage non-specific down regulation of P210$^{bcr/abl}$ in the CML cell line, KU-812-F, during differentiation 801 *H. Takahira, J. Nishimura, K. Shibata, J. Hirata, T. Umemura and H. Nawata*

B8.7 antigen expression on B-CLL cells and its relationship to the LMW-BCGF responsiveness 809 *S. Karray, C. Leprince, H. Merle-Beral, P. Debre, Y. Richard and P. Galanaud*

Repression of nuclear lamin A and C gene expression in human acute lymphoblastic leukemia and non-Hodgkin's lymphoma cells 815 *B. Stadelmann, E. Khandjian, A. Hirt, A. Lüthy, R. Weil and H. P. Wagner*

Letter to the Editors

Neutrophil functions in chronic myeloid leukemia 823 *G. Carulli, A. Azzarà, F. Papineschi, A. Rizzuti, B. Grassi and F. Ambrogi*

Number 10

Editorial

Is remission in acute myelogenous leukemia re-establishing preleukemia? 825 *R. P. Gale and I. Ben-Bassat*

Effects of the antisense v-*myb*′ expression on K562 human leukemia cell proliferation and differentiation 831 *H. Kamano, H. Ohnishi, T. Tanaka, K. Ikeda, A. Okabe and S. Irino*

Antiviral effect of zidovudine in the experimental model of adult T cell leukemia in rabbits 841 *T. Isono, K. Ogawa and A. Seto*

Immunophenotype of blast cells in acute myelofibrosis — 849 *F. Ortuño, J. Soler, R. Vilella, R. Bordes, C. Guanyabens, E. Rubiol and N. Pujol-Moix*

Quantitative variations in A, B, Ht_1 and Ht_2 antigens on erythrocytes in leukemia and lymphoma — 857 *A. Dumasia, S. Gupte, A. Dasgupta and S. Advani*

Control of actin conformation in AML myeloblasts: the effects of bryostatin and TPA — 863 *R. L. Sham, C. H. Packman, C. N. Abboud and M. A. Lichtman*

Genuine CD7 expression in acute leukemia and lymphoblastic lymphoma — 869 *H. Osada, N. Emi, R. Ueda, M. Seto, K. Koike, T. Suchi, S. Kojima, Y. Obata and T. Takahashi*

Lithium enhances the proliferation of HL-60 promyelocytic leukemia cells — 879 *R. W. Becker and E. M. Tyobeka*

Acute T-lymphocytic leukemia with Ph^1 and 5q-chromosome abnormalities and rearrangements of *bcr* and TCR-δ genes — 885 *M. Takechi, A. Ohnishi, K. Tanaka, N. Kimura and N. Kamada*

Therapy of acute myelogenous leukemia in patients over the age of 50: a randomized southeastern cancer study group trial — 895 *R. S. Stein, W. R. Vogler, E. F. Winton, H. J. Cohen, M. R. Raney and A. Bartolucci*

DNA-flow cytometry studies in blood and marrow cells from chronic myelogenous leukemia patients treated with interferon alpha-2b — 905 *U. B. Wandl, D. May, T. Peltzer, O. Kloke, B. Opalka, N. Niederle and C. Streffer*

Potentiation of glucocorticoid-induced cytolysis in sensitive human leukemic cells by an inhibitor of ADP-ribosylation — 909 *A. S. Meyer, J. A. Schlechte and T. J. Schmidt*

Expression of human myeloid cell nuclear differentiation antigen (MNDA) in acute leukemias — 915 *J. B. Cousar and R. C. Briggs*

Flow cytometric studies on actin polymerization in PMN cells from chronic myeloid leukemia (CML) patients — 921 *N. R. Naik, A. N. Bhisey and S. H. Advani*

Elevated argininosuccinate synthetase activity in adult T leukemia cell lines — 931 *K. Sugimura, T. Kimura, H. Arakawa, T. Ohno, Y. Wada, Y. Kimura, T. Saheki and I. Azuma*

935 Announcements

Number 11/12

Open Forum

Etiology of childhood leukemia: a possible alternative to the Greaves hypothesis — 937 *A. Stewart*

A regulatory role for tumor necrosis factor (TNF) in ML-1 human myeloblastic leukemia cell maturation — 941 *Y. Fujii, T. Takuma and A. Bloch*

Oestrogen receptor (ER) analysis in B-cell chronic lymphocytic leukemia: correlation of biochemical and immunocytochemical methods — 949 *N. Melo, C. Hobday, M. Dowsett, D. Catovsky, E. Matutes, R. Morilla and A. Polliack*

High affinity IL-2 receptors on a Hodgkin's derived cell line — 953 *H. Tesch, T. Herrmann, H. Abts, T. Diamantstein and V. Diehl*

Fusarium infections in patients with hematologic malignancies — 961 *F. R. G. Schneller, S. C. Gulati, I. B. Cunningham, R. J. O'Reilly, H. J. Schmitt and B. D. Clarkson*

Recombinant interleukin 2 for acute myeloid leukaemia in first complete remission: a pilot study — 967 *D. Macdonald, Yinzheng Jiang, A. A. Gordon, P. Mahendra, R. Oskam, P. A. Palmer, C. R. Franks and A. J. Barrett*

Application of flow cytochemistry to the evaluation of HL-60 differentiation — 975 *C. Wium, A. N. Davidoff and B. V. Mendelow*

Lineage directed HL-60 cell sublines as a model system for the study of early events in lineage determination of myeloid cells — 979 *S. A. Fischkoff and R. M. Rossi*

Competition among leukemic cells — 989 *E. Aflalo and Y. Weinstein*

Early protooncogene expression during hemin-induced differentiation of human erythroleukemic cells — 997 *M. O. Griffin, J. C. Nelson and N. G. Abraham*

Phorbol myristate acetate treatment of normal human myeloid blast cells promotes monopoiesis and inhibits granulopoiesis — 1007 *C. M. Bunce, W. N. Patton, J. D. Pound, J. M. Lord and G. Brown*

The combined effects of Il-3, GM-CSF and G-CSF on the *in vitro* growth of myelodysplastic myeloid progenitor cells — 1019 *M. R. Schipperus, P. Sonneveld, J. Lindemans, N. Vink, M. Vlastuin, A. Hagemeijer and J. Abels*

Gamma interferon augments functional and phenotypic characteristics of vitamin D3-induced monocytoid differentiation in the U937 human leukaemic cell line — 1027 *S. M. Kelsey, H. L. J. Makin, M. G. Macey and A. C. Newland*

Partial trisomy 1q in idiopathic myelofibrosis — 1035 *E. Donti, A. Tabilio, F. Bocchini, F. Falzetti, M. F. Martelli, F. Grignani and G. Venti Donti*

Expression of p53 in human leukemic cell lines — 1041 *S. Kraiss, R. Espig, U. Vetter, W. Hartmann and M. Montenarh*

De novo myelodysplastic syndromes in adults aged 50 or less. A report on 37 cases — 1053 *P. Fenaux, C. Preudhomme, M. H. Estienne, P. Morel, J. L. Laï, C. Gardin, J. P. Jouet and F. Bauters*

Biochemical basis of the prevention of 6-thiopurine toxicity by the nucleobases, hypoxanthine and adenine — 1061 *H. Hashimoto, M. Kubota, T. Shimizu, T. Takimoto, T. Kitoh, Y. Akiyama and H. Mikawa*

Letters to the Editors

Successful treatment of myelodysplastic syndrome with 1-β-D-arabinofuranosylcytosine 5′-stearylphosphate — 1067 *T. Ueda, S. Imamura, Y. Kawai, Y. Wano, K.-I. Kamiya, H. Tsutani and T. Nakamura*

Dysplastic features of peripheral blood polymorphs in myelodysplastic syndrome in children — 1069 *A. Murat Tuncer, N. Ozbek, D. Albayrak and G. Hiosonmez*

Poorly expressed CD2 antigen on the leukemic cells of adult T-cell leukemia implicate more aggressive clinical course? — 1071 *F. Kawano, A. Tsukamoto, M. Satoh, I. Sanada, T. Shido, H. Suzushima, N. Asou and K. Takatsuki*

Book Review

Leukaemia and Lymphoma—an Atlas of Distribution within Areas of England and Wales, 1984–1988 — 1073 *T. Hamblin*

1075 Announcements

i Volume 14 Title Section, Contents and Author Index